ELSEVIER

European Journal of Pharmacology 282 (1995) 265–266

ejp

Author index

Aceto, M.D., Scates, S.M., Lowe, J.A. and Martin, B.R.
Cannabinoid precipitated withdrawal by the selective cannabinoid receptor antagonist, SR 141716A (282) R1
Amakata, Y., see Sai, Y. (282) 235
Ando, H., see Hotta, Y. (282) 121
Antunes, E., see Grassi-Kassisse, D.M. (282) 57
Aulakh, C.S., Mazzola-Pomietto, P. and Murphy, D.L.
Long-term antidepressant treatments alter 5-HT_{2A} and 5-HT_{2C} receptor-mediated hyperthermia in Fawn-Hooded rats (282) 65

Banks, K.E. and Gratton, A.
Possible involvement of medial prefrontal cortex in amphetamine-induced sensitization of mesolimbic dopamine function (282) 157
Baumann, M.H., Becketts, K.M. and Rothman, R.B.
Evidence for alterations in presynaptic serotonergic function during withdrawal from chronic cocaine in rats (282) 87
Becketts, K.M., see Baumann, M.H. (282) 87
Bengtsson, A., see Jackson, D.M. (282) 137
Björklund, M., see Jäkälä, P. (282) 39
Bodelsson, G. and Stjernquist, M.
Characterization of contractile adrenoceptors in the human umbilical artery (282) 95
Brooks, N., see Khan, S. (282) 229
Buckley, T.L., Garssen, J., Kerkhoff, B., Nijkamp, F.P. and Van Loveren, H.
LCB 2183 inhibits tracheal hyperreactivity and pulmonary inflammation in mouse airways (282) 103

Caldwell, M., see Maginn, M. (282) 259
Calixto, J.B., see Schlemper, V. (282) 177
Campbell, I.C., see Tsvetnitsky, V. (282) 255
Chow, L., De Gasparo, M. and Levens, N.
Improved glucose metabolism following blockade of angiotensin converting enzyme but not angiotensin AT_1 receptors (282) 77
Collado, M.C., see Martinez, E. (282) 169

Dahlén, S.-E., see Raud, J. (282) 207
De Gasparo, M., see Chow, L. (282) 77
De Nucci, G., see Grassi-Kassisse, D.M. (282) 57

Faro, R., see Grassi-Kassisse, D.M. (282) 57
Fujita, M., see Hotta, Y. (282) 121
Fukui, S., see Sasaki, H. (282) 71
Furukawa, T., see Katsuragi, T. (282) 213

Garssen, J., see Buckley, T.L. (282) 103
Gibbons, W.A., see Tsvetnitsky, V. (282) 255
Gozzard, N., see Herd, C.M. (282) 111
Grassi-Kassisse, D.M., Faro, R., Withrington, P.G., Zatz, R., Opgenorth, T.J., Antunes, E. and De Nucci, G.
Characterisation of functional endothelin receptors in the canine isolated perfused spleen (282) 57
Gratton, A., see Banks, K.E. (282) 157
Griffon, N., Pilon, C., Schwartz, J.-C. and Sokoloff, P.
The preferential dopamine D_3 receptor ligand, (+)-UH 232, is a partial agonist (282) R3

Hashimoto, K., see Sasaki, H. (282) 71
Henmi, S., Imaizumi, Y., Muraki, K. and Watanabe, M.
Characteristics of caffeine-induced and spontaneous inward currents and related intracellular Ca^{2+} storage sites in guinea-pig tracheal smooth muscle cells (282) 219
Herd, C.M., Gozzard, N. and Page, C.P.
Capsaicin pre-treatment prevents the development of antigen-induced airway hyperresponsiveness in neonatally immunised rabbits (282) 111
Hernández, J., see Martinez, E. (282) 169
Hiramatsu, M., Sasaki, M. and Kameyama, T.
Effects of dynorphin A-(1–13) on carbon monoxide-induced delayed amnesia in mice studied in a step-down type passive avoidance task (282) 185
Hotta, Y., Ando, H., Fujita, M., Nakagawa, J., Takeya, K. and Sakakibara, J.
Different effects of isoproterenol and dihydroouabain on cardiac Ca^{2+} transients (282) 121
Huang, C. and Johns, E.J.
Effect of nitrendipine on renal cortical and papillary autoregulation in hypertensive rats (282) 1

Imaizumi, Y., see Henmi, S. (282) 219
Inada, T., see Sasaki, H. (282) 71
Iyo, M., see Sasaki, H. (282) 71

Jackson, D.M., Mohell, N., Bengtsson, A. and Malmberg, Å.
Why does clozapine stimulate the motor activity of reserpine-pretreated rats when combined with a dopamine D_1 receptor agonist? (282) 137
Jäkälä, P., Sirviö, J., Koivisto, E., Björklund, M., Kaukua, J. and Riekkinen, Jr., P.
Modulation of rat neocortical high-voltage spindle activity by 5-HT_1/5-HT_2 receptor subtype specific drugs (282) 39
Johns, E.J., see Huang, C. (282) 1

Kameyama, T., see Hiramatsu, M. (282) 185
Katsuragi, T., Tokunaga, T., Sato, C. and Furukawa, T.
Possible neuronal origin of ATP release evoked by forskolin and ouabain from guinea-pig atrial segments (282) 213
Kaukua, J., see Jäkälä, P. (282) 39
Kelly, J.P., see Maginn, M. (282) 259
Kerkhoff, B., see Buckley, T.L. (282) 103
Khan, S., Brooks, N., Whelpton, R. and Michael-Titus, A.T.
Substance P-(1–7) and substance P-(5–11) locally modulate dopamine release in rat striatum (282) 229
Koivisto, E., see Jäkälä, P. (282) 39
Konrad, D., see Raud, J. (282) 207
Kow, L.-M. and Pfaff, D.W.
Functional analyses of α_1-adrenoceptor subtypes in rat hypothalamic ventromedial nucleus neurons (282) 199

Leonard, B.E., see Maginn, M. (282) 259
Levens, N., see Chow, L. (282) 77
Lowe, J.A., see Aceto, M.D. (282) R1

Maginn, M., Caldwell, M., Kelly, J.P. and Leonard, B.E.
The effect of 2-amino-3-phosphonopropionic acid (AP-3) in the gerbil model of cerebral ischaemia (282) 259
Malmberg, Å., see Jackson, D.M. (282) 137
Martin, B.R., see Aceto, M.D. (282) R1
Martinez, E., Peñafiel, R., Collado, M.C. and Hernández, J.
Diazepam potentiates the positive inotropic effect of isoprenaline in rat ventricle strips: role of cyclic AMP (282) 169
Mazzola-Pomietto, P., see Aulakh, C.S. (282) 65
Michael-Titus, A.T., see Khan, S. (282) 229
Milne, A.A.Y. and Piper, P.J.
Role of the VLA-4 integrin in leucocyte recruitment and bronchial hyperresponsiveness in the guinea-pig (282) 243
Mirtella, A., see Montuschi, P. (282) 263
Mohell, N., see Jackson, D.M. (282) 137
Montuschi, P., Tringali, G., Mirtella, A., Parente, L., Preziosi, P. and Navarra, P.
Corrigendum to 'Interleukin-1 receptor antagonist displays intrinsic agonist activity on rat gastric fundus motility in vitro' [Eur. J. Pharmacol. 275 (1995) 31–37] (282) 263
Muraki, K., see Henmi, S. (282) 219
Murphy, D.L., see Aulakh, C.S. (282) 65

Nakagawa, J., see Hotta, Y. (282) 121
Navarra, P., see Montuschi, P. (282) 263
Nijkamp, F.P., see Buckley, T.L. (282) 103

Okamura, T., see Sai, Y. (282) 235
Opgenorth, T.J., see Grassi-Kassisse, D.M. (282) 57

Page, C.P., see Herd, C.M. (282) 111
Pallapies, D., Peskar, B.A. and Peskar, B.M.
Interaction of 5-aminosalicylic acid with nitric oxide on rat aortic strips and human platelets (282) 145
Parente, L., see Montuschi, P. (282) 263
Peñafiel, R., see Martinez, E. (282) 169
Pertwee, R.G., see Wickens, A.P. (282) 251
Peskar, B.A., see Pallapies, D. (282) 145
Peskar, B.M., see Pallapies, D. (282) 145
Pettersson, E.
Studies of four novel diphenylbutylpiperazinepyridyl derivatives on release and inhibition of reuptake of dopamine, serotonin and noradrenaline by rat brain in vitro (282) 131
Pfaff, D.W., see Kow, L.-M. (282) 199
Pilon, C., see Griffon, N. (282) R3
Piper, P.J., see Milne, A.A.Y. (282) 243
Preziosi, P., see Montuschi, P. (282) 263

Raud, J., Konrad, D. and Dahlén, S.-E.
Delayed anti-inflammatory action of nedocromil sodium in the rat paw is dependent on de novo protein synthesis (282) 207
Riekkinen, Jr., P., see Jäkälä, P. (282) 39
Rothman, R.B., see Baumann, M.H. (282) 87

Sai, Y., Okamura, T., Amakata, Y. and Toda, N.
Comparison of responses of canine pulmonary artery and vein to angiotensin II, bradykinin and vasopressin (282) 235
Sakakibara, J., see Hotta, Y. (282) 121
Sasaki, H., Hashimoto, K., Inada, T., Fukui, S. and Iyo, M.
Suppression of oro-facial movements by rolipram, a cAMP phosphodiesterase inhibitor, in rats chronically treated with haloperidol (282) 71
Sasaki, M., see Hiramatsu, M. (282) 185
Sato, C., see Katsuragi, T. (282) 213
Scates, S.M., see Aceto, M.D. (282) R1
Schlemper, V. and Calixto, J.B.
Mechanisms involved in the relaxant response of bradykinin in epithelium intact strips of the guinea-pig trachea (282) 177
Schwartz, J.-C., see Griffon, N. (282) R3
Shiga, T. and Yoshikawa, D.
Platelet-activating factor-induced loss of vascular responsiveness to noradrenaline in pithed rats: involvement of nitric oxide (282) 151
Shikada, K.-i. and Tanaka, S.
K^+ channel openers produce epithelium-dependent relaxation of the guinea-pig trachea (282) 193
Shirasaka, Y. and Wasterlain, C.G.
The effect of urethane anesthesia on evoked potentials in dentate gyrus (282) 11
Sirviö, J., see Jäkälä, P. (282) 39
Sokoloff, P., see Griffon, N. (282) R3
Starke, K., see Urban, R. (282) 19
Starke, K., see Urban, R. (282) 29
Stjernquist, M., see Bodelsson, G. (282) 95
Szabo, B., see Urban, R. (282) 19
Szabo, B., see Urban, R. (282) 29

Takeya, K., see Hotta, Y. (282) 121
Tanaka, S., see Shikada, K.-i. (282) 193
Toda, N., see Sai, Y. (282) 235
Tokunaga, T., see Katsuragi, T. (282) 213
Tringali, G., see Montuschi, P. (282) 263
Tsvetnitsky, V., Campbell, I.C. and Gibbons, W.A.
S-Adenosyl-L-homocysteine and 5′-methylthioadenosine inhibit binding of [^{3}H]flunitrazepam to rat brain membranes (282) 255

Urban, R., Szabo, B. and Starke, K.
Involvement of α_2-adrenoceptors in the cardiovascular effects of moxonidine (282) 19
Urban, R., Szabo, B. and Starke, K.
Involvement of peripheral presynaptic inhibition in the reduction of sympathetic tone by moxonidine, rilmenidine and UK 14304 (282) 29

Van Loveren, H., see Buckley, T.L. (282) 103

Wasterlain, C.G., see Shirasaka, Y. (282) 11
Watanabe, M., see Henmi, S. (282) 219
Whelpton, R., see Khan, S. (282) 229
Wickens, A.P. and Pertwee, R.G.
Effect of Δ^9-tetrahydrocannabinol on circling in rats induced by intranigral muscimol administration (282) 251
Withrington, P.G., see Grassi-Kassisse, D.M. (282) 57

Yoshikawa, D., see Shiga, T. (282) 151

Zatz, R., see Grassi-Kassisse, D.M. (282) 57